1	1112852	CROSSWIND - DUAL TIER 41 74HP - SHARED POWER	\$104,750	\$104,750.00
		No MemorySweep*. Tier 4i emissions, John Deere 4045, Turbocharged dieset engine, 8.0 cu. Yd. Hopper, right and left side brooms, sweeper is powder coated from powder coatings chart 2003/N with powder coated gray undercarriage and includes the standard features listed below.		
1	SPECIAL	2014 AUTOCAR XPERT CHASSIS (2010 EMISSIONS) LIMITED QTY	CONTACT FACTORY	\$0.00
11	1111187	AUTOCAR XPERT 164" WB - CHASSIS ALTERATIONS 74 & 115 HP	\$2,135	\$2,135,00
1	4820001	PAINT CAB STANDARD WHITE	N/C	\$0.00
1	4810001	PAINT SWEEPER STANDARD WHITE	N/C	\$0.00

NOTE: The chassis being supplied by a customer or dealer must comply completely with all Elgin requirements or the chassis will be modified at dealer's expense. NOTE: One year warranty on all Eigin supplied parts and labor. Consult your Eigin dealer for full warranty details.

STANDARD FEATURES

Patent-pending Shared Power system Alternator, 95 amp Auto Shutdown, Aux, Engine Backup Alarm, electric Blower, HARDOX*500 steel with linatex fined housing Brooms, hydraulic rotation

functions, with full gauge package including tachometer, engine hour meter, oil pressure indicator, coolant temperature, voltmeter and fuel lever indicator, water level gauge and warning lights for hopper "up", hopper rear door "open" and hopper "full", with auxiliary engine, RPM control, side broom down pressure controls and automotive style blade fuses Doors, access fiberglass doors provide easy service and maintenance on auxiliary engine hydraulic and electrical system

Hopper rear door, hydraulically opened/closed and locked/unlocked with external manual controls. Hose, hydrant fill, 16'8" (5080 mm) with coupling LED Clearance Lights Lights; rear clearance and rear identification Manuals, operator and parts Mirrors, West Coast type with 8 convex inserts, one each side 14" (355 mm) outside diameter pressure hose, 12-3/4" (324mm) inside diameter suction hase with quick disconnect on suctions side Water system; one (1) rocker switch with Hi / LOW setting. with manual valves for water control Spray nozzles, sixteen (16), seven (7) in the pick-up head, three (3) in the suction

nozzle, three (3) at each side broom Side Broom Outer Position Stop Trans Oil Cooler

Vacuum enhancer, external manually operated Water tank, molded polyethylene, 240 gallons (907L)

Electronic Actuated Throttle, sweep resume/sweep

LEFT HAND SIDEBROOM TILT W/O IN-CAB DISPLAY (AUTOCAR) 1111185 \$1,050.00 1111186 RIGHT HAND SIDEBROOM TILT W/O IN-CAB DISPLAY (AUTOCAR) \$1,050,00 \$1,050,00 1111534 INDIVIDUAL SWITCHES FOR DUAL SB & RR FLD LTS-LED \$1,525.00 \$1,280.00 \$1,525.00 1113730 INDIVIDUAL SWITCHES FOR WATER SYSTEM CONTROL \$1,280.00 1112947 DUAL SIDE BROOM SCRUBBING POSITION VACUUM ENHANCER IN-CAB CONTROL WITHOUT DISPLAY \$1,650,00 \$1,650.00 1110918 \$350,00 \$350.00 1110562 IN-CAB HOPPER DUMP \$765.00 \$765.00 SPECIA BACKUP ALARM, SMART \$390.00 \$390.00 RED LOGO/CROSSWIND HYDRAULIC OIL LEVEL GUAGE W/THERMOMETER RIGHT HAND INSPECTION DOOR & STEP 1090150 \$0.00 N/C \$155.00 1061886 \$155,00 1085883 \$725.00 \$725.00 LEFT HAND INSPECTION DOOR & STEP 6" HOPPER DRAIN LIFELINER HOPPER SYSTEM WWARRANTY 1085884 \$665.00 \$665.00 108588 \$770.00 \$770.00 1092227 LIFELINER HOPPER SYSTEM WWARRANTY
CROSSWIND SHARED POWER 74HP PARTS MANUAL
CROSSWIND SHARED POWER 74HP OPERATORS MANUAL
CROSSWIND SHARED POWER 74HP SERVICE MANUAL
JOHN DEERE SHARED POWER 74HP PARTS MANUAL
JOHN DEERE SHARED POWER 74HP PARTS MANUAL
JOHN DEERE SHARED POWER 74HP SERVICE MANUAL
JOHN DEERE SHARED POWER 74HP SERVICE MANUAL
JOHN DEERE SHARED POWER 74HP SERVICE MANUAL \$7,490,00 \$7,490,00 \$60.00 \$60.00 070167 \$45.00 0702438 \$120.00 \$120.00 701525 701526 \$60.00 \$60,00 \$45.00 \$45.00 701503 5200.00 \$200.00 SPECIAL (2) REAR BUMPER MOUNTED STROBES \$1,035.00 \$1,035.00 SPECIAL SPECIAL PM-10 WATER SYSTEM BATTERY DISCONNECT SWITCH \$2,750.00 \$480.00 \$480.00 1078045 TURBO II PRECLEANER \$450.00 \$450.00 AUXILIARY HYDRAULIC PUMP 25 WATER FILL HOSE (ILO 16'8") QUICK DISCONNECT WATER FILL HOPPER DELUGE HOPPER WATER NOZZLES 1114026 \$1,290.00 \$1,290.00 1032484 \$180.00 \$180.00 1040094 \$470.00 \$470.00 \$940.00 \$940.00 108858 \$525,00 \$525.00 106165 ANTI SIPHON 2-1/2" AIR GAP \$170.00 \$170.00 1111680 LOW PRESSURE WASH DOWN \$1,120.00 \$1,120.00 SPECIAL HIGH PRESSURE WASHDOWN
AIR PURGE FOR WATER SYSTEM (USE W/PM10) \$4,450.00 \$4,450.00 \$355.00 \$355.00 1111468 LED/STOP/TURN/TAIL LIGHTS \$600.00 \$600.00 1107232 BATTERY DISCONNECT \$1,200,00 \$1,200,00 1107238 ISRI HT914 HIGH BACK, AIR RIDE, RH \$1,915.00 \$1,915.00 1107239 ISRI HT914 HIGH BACK, AIR RIDE, LH \$1,915.00 \$1,915.00 1107243 IN CAB AIR FILTER RESTRICTION INDICATOR \$500,00 \$500.00 1107244 DAYTIME RUNNING LIGHTS \$500.00 \$500.00 STROBE CAB/FRONT ; (2) HOPPER/REAR STROBES WITH LED 1111761 \$4,420,00 \$4,420,00 ARROWSTICK (USE W/O WANDERING HOSE) FRONT SPRAY BAR (USE WITH) PM-10 5 LB. FIRE EXTINGUUISHER 1111742 \$670.00 \$670.00 SPECIAL \$230,00 \$230.00 (1) EXTRA 360 GALLON WATER TANK SPECIAL \$7,380,00 \$7,380.00 (NOT COMPATIABLE W/WORK PLATFORM) CROSSWIND 2ND YEAR PARTS/LABOR EW-124-2PL \$1,855,00 \$1,855.00 FRT-124-008 FREIGHT-CA.NV.ID.OR.WA SUB TOTAL \$167,035.00 Factory inspection trip Auto car chassis- 260 HP with Allison 3000 series transmission 125500 4" air gap required Quad camera system **GRAND TOTAL** \$294,023.95

1	1112852	CROSSWIND - DUAL TIER 4I 74HP - SHARED POWER	\$104,750	\$104,750.00
		No MemorySweep*; Tier 4i emissions, John Deere 4045, Turbocharged diesel engine, 8.0 cu. Yd. Hopper, right and left side brooms, sweeper is powder coated from powder coatings		
		chart 2003/N with powder coated gray undercarriage and includes the standard features listed below.		
1	SPECIAL	2014 AUTOCAR XPERT CHASSIS (2010 EMISSIONS) LIMITED QTY	CONTACT FACTORY	\$0,00
11	1111187	AUTOCAR XPERT 164" WB - CHASSIS ALTERATIONS 74 & 115 HP	\$2,135	\$2,135.00
1	4820001	PAINT CAB STANDARD WHITE	N/C	\$0.00
1	4810001	PAINT SWEEPER STANDARD WHITE	N/C	\$0.00

NOTE: The chassis being supplied by a customer or dealer must comply completely with all Eigin requirements or the chassis will be modified at dealer's expense. NOTE: One year warranty on all Eigin supplied parts and labor. Consult your Eigin dealer for full warranty details.

STANDARD FEATURES

Patent-pending Shared Power system Alternator, 95 amp Auto Shutdown, Aux. Engine Backup Alarm, electric Blower, HARDOX*500 steel with linatex lined housing Brooms, hydraulic rotation

functions, with full gauge package including tachometer, engine hour meter, oil pressure indicator, coolant temperature, voltmeter and fuel lever indicator, water level gauge and warning lights for hopper "up", hopper rear door "open" and hopper "full", with auxiliary engine, RPM control, side broom down pressure controls and automotive style blade fuses Doors, access fiberglass doors provide easy service and maintenance on auxiliary engine, hydraulic and electrical system

Hopper rear door, hydraulically opened/closed and locked/unlocked with external manual controts. Hose, hydrant fill, 16'8" (5080 mm) with coupling LED Clearance Lights Lights; rear clearance and rear identification Manuals, operator and parts Mirrors, West Coast type with 8" convex inserts, one each side 14" (355 mm) outside diameter pressure hose, 12-3/4" (324mm) inside diameter passure hose, 12-3/4" (324mm) inside diameter suction hose with quick disconnect on suctions side Water system; one (1) rocker switch with HI / LOW setting, with manual valves for water control Spray nozzles, sixteen (16), seven (7) in the pick-up head, three (3) in the suction

Side Broom Outer Position Stop Trans Oil Cooler Vacuum enhancer, external manually operated

nozzle, three (3) at each side broom

		lectronic Actuated Throttle, sweep resume/sweep	Water tank, molded polyethylene	e, 240 gallons (907L.)
	1111185	LEFT HAND SIDEBROOM TILT WIO IN-CAB DISPLAY (AUTOCAR)	\$1,050.00	\$1,050.00
	1111186	RIGHT HAND SIDEBROOM TILT WIO IN-CAB DISPLAY (AUTOCAR)	\$1,050.00	\$1,050.00
1	1111534	INDIVIDUAL SWITCHES FOR DUAL SB & RR FLD LTS-LED	\$1,525,00	\$1,525.00
1	1113730	INDIVIDUAL SWITCHES FOR WATER SYSTEM CONTROL	\$1,280.00	\$1,280.00
. 1	1112947	DUAL SIDE BROOM SCRUBBING POSITION	\$1,650.00	\$1,650.00
1	1110918	VACUUM ENHANCER IN-CAB CONTROL WITHOUT DISPLAY	\$350.00	\$350.00
1	1110562	IN-CAB HOPPER DUMP	\$765.00	\$765.00
1	SPECIAL	BACKUP ALARM, SMART	\$390.00	\$390,00
1	1090150	RED LOGO/CROSSWIND	N/C	\$0.00
1	1061886	HYDRAULIC OIL LEVEL GUAGE W/THERMOMETER	\$155.00	\$155.00
1	1085883	RIGHT HAND INSPECTION DOOR & STEP	\$725.00	\$725.00
1	1085884	LEFT HAND INSPECTION DOOR & STEP	\$665.00	\$665.00
1	1085887	6" HOPPER DRAIN	\$770.00	\$770.00
1	1092227	LIFELINER HÖPPER SYSTEM WARRANTY	\$7,490.00	\$7,490,00
1	0702251	CROSSWIND SHARED POWER 74HP PARTS MANUAL	\$60.00	\$60.00
1	0701671	CROSSWIND SHARED POWER 74HP OPERATORS MANUAL	\$45.00	\$45.00
1	0702438	CROSSWIND SHARED POWER 74HP SERVICE MANUAL	\$120,00	\$120,00
1	701525	JOHN DEERE SHARED POWER 74HP PARTS MANUAL	\$60.00	\$60.00
1	701526	JOHN DEERE SHARED POWER 74HP OPERATORS MANUAL	\$45.00	\$45,00
1	701503	JOHN DEERE SHARED POWER 74HP SERVICE MANUAL	\$200.00	\$200.00
1 "	SPECIAL	(2) REAR BUMPER MOUNTED STROBES	\$1,035.00	\$1,035.00
1	SPECIAL	PM-10 WATER SYSTEM	\$2,750.00	\$2,750.00
1	SPECIAL	BATTERY DISCONNECT SWITCH	\$480.00	\$480,00
1	1078045	TURBO II PRECLEANER	\$450.00	\$450.00
1	1114026	AUXILIARY HYDRAULIC PUMP	\$1,290.00	\$1,290.00
1	1032484	25' WATER FILL HOSE (ILO 16' 8")	\$180,00	\$180.00
1	1040094	QUICK DISCONNECT WATER FILL	\$470,00	\$470.00
1	1059209	HOPPER DELUGE	\$940.00	\$940.00
1	1088582	HOPPER WATER NOZZLES	\$525.00	\$525.00
1	1061652	ANTI SIPHON 2-1/2" AIR GAP	\$170,00	\$170.00
1	1111680	LOW PRESSURE WASH DOWN	\$1,120.00	\$1,120,00
1	SPECIAL	HIGH PRESSURE WASHDOWN	\$4,450.00	\$4,450.00
1	SPECIAL	AIR PURGE FOR WATER SYSTEM (USE W/PM10)	\$355.00	\$355.00
1	1111468	LED/STOP/TURN/TAIL LIGHTS	\$600.00	\$600.00
1	1107232	BATTERY DISCONNECT	\$1,200.00	\$1,200.00
1	1107238	ISRI HT914 HIGH BACK, AIR RIDE, RH	\$1,915.00	\$1,915.00
1	1107239	ISRI HT914 HIGH BACK, AIR RIDE, LH	\$1,915,00	\$1,915,00
1	1107243	IN CAB AIR FILTER RESTRICTION INDICATOR	\$500.00	\$500.00
1	1107244	DAYTIME RUNNING LIGHTS	\$500.00	\$500,00
		STROBE CAB/FRONT ; (2) HOPPER/REAR STROBES WITH LED	\$300.00	\$300,00
1	1111761	ARROWSTICK (USE W/O WANDERING HOSE)	\$4,420.00	\$4,420.00
1	1111742	FRONT SPRAY BAR (USE WITH) PM-10	\$670.00	\$670.00
	SPECIAL	5 LB. FIRE EXTINGUUISHER	\$230.00	\$230.00
		(1) EXTRA 360 GALLON WATER TANK	\$250.00	3230.00
1	SPECIAL	(NOT COMPATIABLE W/WORK PLATFORM)	\$7,380.00	\$7,380.00
1 E	W-124-2PL	CROSSWIND 2ND YEAR PARTS/LABOR	\$1,855.00	\$4 0EE 00
	RT-124-008	FREIGHT-CA,NV,ID,OR,WA		\$1,855.00
<u> </u>	111-124-000	FREIGHT-CA.(147,IU,UR, 34A	\$6,355.00	\$6,355.00
1			SUB TOTAL	\$167,035.00
		Factory inspection trip		30
1		Auto car chassis- 260 HP with Allison 3000 series transmission		1255
_1		4" air gap required		3
1		Quad camera system		32
			GRAND TOTAL	\$294.023.95

2014 Autocar Dual steer chassis specification for Crosswind

AXLES:

Front - 12,000 lbs. (5,454 kg)

Rear - 21,000 lbs. (9,545 kg) HTS, with 21,000 (9,545

kg) variable rate leaf spring.

Ratio -(7.14/9.77:1)

Gross Vehicle Weight Rated (GVWR) - 33,000 lbs.

(15,000 kg)

BRAKES:

Service:

Type - Full air, Bendix anti-lock

Front - 16.5 in. x 5 in. (410 mm x 127 mm) drum

Rear - 16.5 in. x 7 in. (419 mm x 178 mm) drum

Compressor Capacity - 18.7 CFM

Air Dryer - Bendix ADIP desiccant type

Auto slack adjusters, front and rear

Parking:

Type - Spring set, air release

CHASSIS:

Manufacturer: Autocar Trucks

Model - Autocar Xpert

Frame:

Type - Rail, High Strength, 120,000 PSI, 1.81 M RBM

Size – 10 in. x 3 in. x .3125 in. (254 mm x 76 mm x 7.9

mm)

DIMENSIONS: (with sweeper mounted)

Wheelbase - 164 in. (4166 mm)

Cab to axle - 138 in. (3353 mm) usable

Overall Length - 259 in. (6579 mm)

Overall Height - 110 in. (2794 mm) Top of cab

Overall Width - 96 in. (2438 mm)

Dumping Clearance Height - 236 in. (5994 mm)

Turning Radius – 23ft. 4 in. (7112 mm)

Travel Speed - 65 MPH

ELECTRICAL SYSTEM:

Voltage - 12V

Alternator - 130 Amp.

Battery - Two (2) 12 Volt 750 CCA (Total 1500 CCA)

Maintenance Free

ENGINE:

Manufacturer: Cummins

Model - ISB 6.7

Cylinders - In-Line 6

Displacement - 402 cu.in. (6.7 L)

Horsepower - 200 @ 2600 RPM

Torque - 520 lb. ft. @ 1600 RPM

Oil Filter - Full-flow, spin on type

Oil Capacity - 16 qt. (15 L) with filter

Air Cleaner - 13" Single stage, dry type w/ safety

element

WARNING LIGHTS and CHIMES:

ABS warning light

Air cleaner mounted restriction indicator

Battery low light

Cab latch light

Engine control system warning light and buzzer

Engine Stop light

Hazard warning flasher

High beam indicator light

Low air pressure warning light and buzzer

Low coolant level and overheating warning light and buzzer

Low oil pressure warning light and buzzer

Parking brake indicator light

Turn signal indicator lights

Transmission temperature warning light and buzzer

SEATS:

RH - Mechanical suspension, adjustable dampener, cloth covered

LH - Mechanical suspension, adjustable dampener, cloth covered

STEERING:

Type - Full power hydraulic

Adjustable, Tilt column in both operator stations

Dual Steering with RH & LH Complete Gauge Package

TRANSMISSION:

Allison 2500RDS 6-speed automatic

WHEELS:

Front & Rear - 22.5 in. x 8.25 in. (572 mm x 191 mm) stud pilot steel disc

TIRES:

Front & Rear - 11R 22.5

Load Range G (14 ply rating)

WARRANTY:

12 mo parts and labor 100,000 miles, complete components such as engines and transmissions assume their respective manufacturer's warranty.

ADDITIONAL FEATURES INCLUDED:

Air Conditioner

Ash Tray

Auto Shutdown

Block Heater, 1000 Watt

(2) Dash mounted cigar lighter

Cruise control

Front Tow Hooks

Intermittent speed wipers

Interior map light

Mirrors 8" convex

Mirrors Motorized and heated west coast with 8. in. (203 mm)

convex rectangle flat with integral convex

Particulate trap manual regen switch

Power windows

Fuel Tank Capacity - 50 gal. (189 L)
Fuel Filter/Water Separator, spin on type
Exhaust – EPA 2010 Emissions with particulate trap.
Vertical L.H. behind cab.
DEF tank – 5 gallons

INSTRUMENTS:

Water temperature gauge, tachometer, hour meter, speedometer, engine oil pressure gauge, fuel gauge, dual air pressure, voltmeter and DEF tank gauge.

Radio install package
Transmission shift control – push button
Visors, sun left and right

OPTIONAL EQUIPMENT AVAILABLE:

(Requires special order chassis that may affect lead times) Radio AM/FM CD

Air ride suspension seats

Air Cleaner Restriction Indicator and gauge - in cab

Dual air horn

Exhaust rain cap

Air tank drain valves, D/V2 automatic

Battery disconnect with jump start

Batteries 1900 CCA

Cab painted color not Elgin white

Chassis extended warranty

Engine extended warranty

Transmission extended warranty-Allison

LED lighting

Daytime running lights

NOTE: These specifications are subject to change without notice.



Elgin Sweeper Company 1300 West Bartlett Road Elgin, IL 60120

Ph: (847) 741-5370 Fax: (847) 742-3035 SWEEPER HEAD ASSET # 4267

OWEN EQUIPMENT COMPANY 8721 S 218TH STREET

KENT (253) 852-5819

001

WA 98031 (253) 852-8913

ı										r	
ı	7 ~ ~ ~ ~ ~ + #	TiTorale	A~3	2020	03 ~ 1	SALES	ORDER	Date	Timo	Order #	Dago
ı	ACCOUNT	MOTY	Ora	pro	272	2 4 7 6 2	ABUAU	Date	TTITE	Order #	raye
ł	21321			ທາ	444	ਸਥਾਸ	MATE	06-24-15	12.27	71280	1
ı	LL261			\ \Z_	444		11 21 1 40	100 24 10	14.4/	,	- 1
1			_					1		l	<u> </u>

Sold To:

BELLEVUE, CITY OF 2901 115TH AVE. NE

Ship To:

BELLEVUE, CITY OF

CITY SHOPS

2901 115TH AVE NE

BELLEVUE

WA 98004 3009 BELLEVUE Ship Via WA 98004 3009

Entered By Customer Purchase mccarney SWEEPER ESTIMATE		Order		Customer Contact			Ord Date 06-24-15			
				Equip	ID	Customer	Job 1		Custome: 452 452	
Ord	Ship	в/о	Mfg Part N	umber D	escript	ion Bin	Un:	it Pric	e UM	Extende

1 1 Y ELG 1065652

ASSEMBLY -PICK UP HD

9,075.52EA 9,075.52

LOCAL STATE 272.27

589.91

NO RETURNS WITHOUT RETURN GOODS AUTHORIZATION.

A RESTOCKING CHARGE OF 15 PERCENT WILL BE APPLIED Total Amount ON ALL ITEMS ORDERED IN ERROR (20 PERCENT FOR SPECIAL ORDER PARTS).

9,937.70

NO REFUNDS ON RETURNS RECEIVED AFTER 180 DAYS FROM DATE OF SALE.