Program mprovements pervice Area y 2020 FY 2027 Budget Budget 118,000 1,110,00 Ilevue's wastewater sys ce, pump station age, and edar Terrace, Lake Hills Hills #7. Historically this cal and mechanical equi- he forecast needs for so pusiness risk, per indust ins, and sharp rate inco- of wastewater facilities ice levels and meeting r esults from failures, suc- ntal hazards that threated inimizes this hazard. Fres. ject Activities costs	1 FY 2022 budget Budget 00 1,013,000 atem. Stations are prind coordination with \$#17, Cozy Cove, Paster program funded resignment in them will be the dule and cost, and the dule and cost is the end to rease to react to fail the end to require method as sewage backup on a community and seven a community and seven a community and seven as the end to the end	other arkers, habilitation have reache id could the short lures rather es as low as ents. os and can result ir
A A A A Y 2020 B FY 202' B Budget Budget Budget 118,000 1,110,00 Illevue's wastewater systemation age, and edar Terrace, Lake Hills Hills #7. Historically this cal and mechanical equivation before cast needs for some structure of wastewater facilities ice levels and meeting results from failures, such that hazards that threate inimizes this hazard. Business risk that threate the inimizes this hazard. Business risk that threate the inimizes this hazard.	1 FY 2022 budget Budget 90 1,013,000 etem. Stations are prind coordination with the #17, Cozy Cove, Pass program funded reipment in them will hedule and cost, and ry best practices. In reases to react to fail keeps customer rate regulatory requirement in the as sewage backupen a community and best practices are prind to be the set of t	Budget 1,212,00 ioritized other arkers, habilitation have reached d could the short lures rather es as low as ents. bs and can result in ivittes
ervice Area Y 2020 FY 2027 Budget Budget 118,000 1,110,00 Illevue's wastewater system allevue's wastewater system ce, pump station age, alledar Terrace, Lake Hills Hills #7. Historically this cal and mechanical equiphe forecast needs for some state	t Budget 1,013,000 tem. Stations are pr nd coordination with \$#17, Cozy Cove, Pa s program funded re ipment in them will h chedule and cost, and ry best practices. In reases to react to fai keeps customer rat regulatory requirement h as sewage backup en a community and Schedule of Act From - To	Budget 1,212,00 ioritized other arkers, habilitation have reached d could the short lures rather es as low as ents. bs and can result in ivittes
Y 2020 FY 2027 Budget Budget 118,000 1,110,00 Illevue's wastewater systemation age, and edar Terrace, Lake Hills Hills #7. Historically this cal and mechanical equivation he forecast needs for some systematic systematis systemate systemate systematic systemate systematic systematis	t Budget 1,013,000 tem. Stations are pr nd coordination with \$#17, Cozy Cove, Pa s program funded re ipment in them will h chedule and cost, and ry best practices. In reases to react to fai keeps customer rat regulatory requirement h as sewage backup en a community and Schedule of Act From - To	Budget 1,212,00 ioritized other arkers, habilitation have reached d could the short lures rather es as low as ents. bs and can result in ivittes
Budget Budget Budget 118,000 1,110,00 Illevue's wastewater system ce, pump station age, and edar Terrace, Lake Hills Hills #7. Historically this cal and mechanical equi- he forecast needs for so pusiness risk, per indust ins, and sharp rate inclu- of wastewater facilities ice levels and meeting rate inimizes this hazard. Fres. ject Activities	t Budget 1,013,000 tem. Stations are pr nd coordination with \$#17, Cozy Cove, Pa s program funded re ipment in them will h chedule and cost, and ry best practices. In reases to react to fai keeps customer rat regulatory requirement h as sewage backup en a community and Schedule of Act From - To	Budget 1,212,00 ioritized other arkers, habilitation have reached d could the short lures rather es as low as ents. bs and can result in ivittes
Ilevue's wastewater sys ce, pump station age, a edar Terrace, Lake Hills Hills #7. Historically this cal and mechanical equ he forecast needs for so pusiness risk, per indust tims, and sharp rate incl of wastewater facilities ice levels and meeting r esults from failures, suc natal hazards that threate inimizes this hazard. res.	tem. Stations are pr nd coordination with s #17, Cozy Cove, Pa s program funded re ipment in them will h chedule and cost, an ry best practices. In reases to react to fai keeps customer rat regulatory requirement h as sewage backup en a community and Schedule of Act From - To	ioritized other arkers, habilitation have reache id could the short lures rather es as low as ents. os and can result ir
ce, pump station age, a edar Terrace, Lake Hills Hills #7. Historically this cal and mechanical equi- he forecast needs for so business risk, per indust ins, and sharp rate inco- of wastewater facilities ice levels and meeting r esults from failures, suc- ntal hazards that threate inimizes this hazard. res.	nd coordination with \$ #17, Cozy Cove, Pa s program funded re ipment in them will h chedule and cost, an ry best practices. In reases to react to fai keeps customer rat regulatory requirement h as sewage backup en a community and Schedule of Act From - To	other arkers, habilitation have reache id could the short lures rather es as low as ents. os and can result ir
ims, and sharp rate incl of wastewater facilities ice levels and meeting r esults from failures, such that hazards that threate inimizes this hazard. res. ject Activities	reases to react to fai keeps customer rate regulatory requirement h as sewage backup en a community and Schedule of Act From - To	ilures rathe es as low a ents. os and can result i i vities
inimizes this hazard. res. ject Activities	Schedule of Act From - To	ivities
res. ject Activities	From - To	
ject Activities	From - To	
·		Amount
costs	Ongoing	21,437,15
		21,437,15
Funding Source		Amount
tes/Fees		21,437,15
	ed Fundina:	21,437,155
rotal Programm		
t	Means of Funding Source es/Fees	